



## Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact [support@jstor.org](mailto:support@jstor.org).

*Reports of States and yearly and monthly reports of cities of the United States.*

CALIFORNIA—*San Francisco*.—City and county, month of November, 1898. Estimated population, 360,000. Total number of deaths, 350, including diphtheria, 6; enteric fever, 15; measles, 2, and 49 from phthisis pulmonalis.

CONNECTICUT—*Hartford*.—Month of December, 1898. Estimated population, 72,000. Total number of deaths, 108, including diphtheria, 8; enteric fever, 5; whooping cough, 1; grippe, 5, and 10 from phthisis pulmonalis.

HONOLULU—*Hawaiian Islands*.—Month of November, 1898. Estimated population, 20,487. Total number of deaths, 93, including enteric fever, 1; measles, 1; beriberi, 1, and 7 from phthisis pulmonalis.

MICHIGAN.—Reports to the State board of health, Lansing, for the week ended December 31, 1898, from 65 observers indicate that inflammation of kidney increased and enteric fever decreased in area of prevalence. Phthisis pulmonalis was reported present at 142, scarlet fever at 43, enteric fever at 43, diphtheria at 19, whooping cough at 18, measles at 15 places, and smallpox at 1 place.—Detroit.

*Port Huron*.—Month of October, 1898. Estimated population, 20,000. Total number of deaths, 19, including 3 from phthisis pulmonalis.

Month of November, 1898. Total number of deaths, 17, including enteric fever, 2; scarlet fever, 1, and 2 from phthisis pulmonalis.

MASSACHUSETTS—*Fitchburg*.—Month of December, 1898. Estimated population, 29,438. Total number of deaths, 36, including enteric fever, 2; scarlet fever, 1; whooping cough, 1, and 3 from phthisis pulmonalis.

MISSOURI—*St. Louis*.—Month of November, 1898. Estimated population, 623,000; white, 587,000; colored, 36,000. Total number of deaths, 737; white, 659; colored, 78, including diphtheria, 37; enteric fever, 7; scarlet fever, 1; whooping cough, 3, and 100 from phthisis pulmonalis—white, 84; colored, 16.

NORTH CAROLINA.—Reports to the State board of health for the month of November, 1898, from 24 towns having an aggregate population of 164,288; white, 93,648; colored, 70,640; show a total of 207 deaths, including enteric fever, 8; scarlet fever, 1, and 30 from phthisis pulmonalis. There was an outbreak of smallpox in Edgecombe County, with 20 cases, 13 white and 7 colored. The contagion was brought from Norfolk, Va.

OHIO.—Reports to the State board of health for the nine weeks ended December 3, 1898, from 93 localities having an aggregate population of 1,314,354, show 114 deaths from diphtheria, 85 from enteric fever, 17 from scarlet fever, 1 from measles, and 3 from whooping cough.

*Toledo*.—Month of December, 1898. Estimated population, 151,520. Total number of deaths, 122, including diphtheria, 3; enteric fever, 4; scarlet fever, 1; whooping cough, 1, and 15 from phthisis pulmonalis.

PENNSYLVANIA—*Philadelphia*.—Year ended December 31, 1898. Census population, 1,046,964. Total number of deaths, 23,790, including diphtheria, 998; enteric fever, 639 (including 73 soldiers); measles, 234; scarlet fever, 114; whooping cough, 162, and 2,590 from phthisis pulmonalis.

TENNESSEE—*Nashville*.—Month of December, 1898. Estimated population, 87,754; white, 54,595; colored, 33,159. Total number of deaths, 135; 62 white; 73 colored, including diphtheria, 1, and 16 from phthisis pulmonalis.

VIRGINIA—*Lynchburg*.—Month of December, 1898. Estimated population, 30,000. Total number of deaths, 29, including diphtheria, 1, and 3 from phthisis pulmonalis.